

EVINRUDE

E-TEC

PERFORMANCE REPORT

BULLETIN #: 1291
ENGINE 1: H200HAXAHA

Engine 2: H200AXCAHA

BOAT TYPE: Pontoon

DATE OF TEST: 6/29/2018



BRP US, Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com

Manitou

Triton Industries/Manitou Pontoons
16020 S. Lowell RD
Lansing, MI 48906
517-322-3822
manitoupontoonboats.com

2018 Manitou Legacy 25 RFXW

BOAT	
2018 Manitou Legacy 25 RFXW	
Material	Aluminum
Length	26' 8"
Beam	8' 6"
Weight w/o Engine	4310 LBS
Maximum HP	600 HP
Fuel Capacity	90 Gallons
Transom Height	25"
Steering	I Dock

ENGINE	
Evinrude® E-TEC® Twin 200 H.O.'s	
Engine Type	74° V-6
Horsepower	200 H.O.
Displacement	3.4 Litre
Induction	ETEC DI
Operating Range	5400-6000 RPM
Weight	LBS Dry Weight
Gear Ratio	1.85:1

PROPELLER	
BRP Rebel™	
Material	Stainless
Diameter/Pitch	15 1/8" X 20"
No. of Blades	3
Part Number	763992/763993
Prop Vent Hole	NA
MOUNTING HEIGHT	
Hole Position	#1
Jack Plate	No
AV Mounting	25

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	3.00	0.50	6.00	486
1000	5.50	1.35	4.07	330
1500	8.50	3.05	2.79	226
2000	15.50	5.70	2.72	220
2500	22.50	8.50	2.65	214
3000	30.50	11.85	2.57	208
3500	36.00	15.95	2.26	183
4000	43.00	20.55	2.09	169
4500	49.00	25.65	1.91	155
5000	55.50	33.95	1.63	132
5500	57.00	34.40	1.66	134

TEST CONDITIONS	
Water Conditions	Medium Chop
Wind Velocity	10 MPH
Air Temperature	85° F
Fuel Load	90 Gallons
Weight	3 People

PERFORMANCE SUMMARY	
Top Speed	57 MPH
Best Fuel Efficiency	2.57 MPG For 208 Miles @ 30.50 MPH
Acceleration	3.3 seconds to plane

Fuel Data Range (Miles) Based On 90% Fuel Capacity



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2015 BRP US Inc. All rights reserved.™ ® and the BPR logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

EVINRUDE

